

57456.

57456. *Praxiphanes*, ^{*euryrodellus*} *calidia*,
^{*gallitarsus*} *Tanna Is.* Rio de Pau de Mato do Santa Cruz.

Praxiphanes, Caledonia,

~~Thunbergia~~ Poa, Leucaena, Pisonia, Mast. Leucaena & Pisonia.

via. Sample of juvenile *Leucospiza* under 1000. For much
Phyll. A. unicolor

Green. Killed by San Juan. 475. B. 477. Honda. C. 478.

A. pusilla.

188 Samuel

Prasichnebus galinthus (R.) Eurobodallae

Praxiphanes, Rhipzala, Phaulacridium vittatum
galinifera (R)

curvata

Goniaca corophioides, Rhizophora, Gonocalyx-complan.

28/2/45. 516. *Goniocaryx* (*Goniocaryx*) *sp.* (*sp.*) *lem. occ. long. folia. Acua*

Impressa M. Mane. 529 low umba r. 531. *Suklirana-Scab.*
iphula, *Cadria*, *Scarna*, *Goniale* sp.

bark like stringy almost to tips, leaves long glaucous.

57552.

Victorian border. 562. Genoa. 563. Cleared & partly

Fraxinatus *Calodia*, *Phaulacridium vittatum*

Clasconularis

591. *Phaulacridium vittatum*, *Exuma includens*
stringy (obliqua?). Large swamp, scrub, to Sydney ones.

with rushes, ferns, *Pap. p. p. p.*, dens of *Cruciania* etc.

Endemic margin: 2nd bar, & 3 new spp: (1) similar to
c. acer, stringy to tips, small, very glaucous. (2) a peppermint,
glaucous leaves, rough & short to tips. (3) a slender

ribbon-fern. 594. Carr River. 607. Genoa. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 841. 842. 843. 844. 845. 846. 847. 848. 849. 850. 851. 852. 853. 854. 855. 856. 857. 858. 859. 860. 861. 862. 863. 864. 865. 866. 867. 868. 869. 870. 871. 872. 873. 874. 875. 876. 877. 878. 879. 880. 881. 882. 883. 884. 885. 886. 887. 888. 889. 890. 891. 892. 893. 894. 895. 896. 897. 898. 899. 900. 901. 902. 903. 904. 905. 906. 907. 908. 909. 910. 911. 912. 913. 914. 915. 916. 917. 918. 919. 920. 921. 922. 923. 924. 925. 926. 927. 928. 929. 930. 931. 932. 933. 934. 935. 936. 937. 938. 939. 940. 941. 942. 943. 944. 945. 946. 947. 948. 949. 950. 951. 952. 953. 954. 955. 956. 957. 958. 959. 960. 961. 962. 963. 964. 965. 966. 967. 968. 969. 970. 971. 972. 973. 974. 975. 976. 977. 978. 979. 980. 981. 982. 983. 984. 985. 986. 987. 988. 989. 990. 991. 992. 993. 994. 995. 996. 997. 998. 999. 1000.

642. Sudden emergence on to flat flood plain completely
cleared & also were immediately adjacent slopes.

643. About. From the border to 642 had been nothing
but dense forest, probably all of one assn. ranging

from gonocalyx-obliqua-fortigata in the wettest
gullies, in the patches of rain forest, to rather low
gummifera-sabra-etc on poorest soils. Chief species
about from those mentioned is prob. *Suberianus*.

Or last to Rosedale. 651. *Phaulacridium*, *A. vulgaris*,
Potryoides & a red gum with conid.

rough at base, sometimes whole branch. Many
leaves. Very at present of many by branch, etc. 11/1/11,
57672. *Scirpus*
Cryptobothrus, *Prasichulus*, *G. australis*, *Cirphula*, *Pardunum pedestris* (R)
laminatus ulmaris (R) ? *goussierii* (R), a new form (spec.) *glauca*

leaves pale grey back, yellow. Phaul. Prasichulus. Somewhat
dry forest, partly open. 6/12. This is a new form. *Baueriana*, other like *Baueriana* but with slightly
fibrous bark. & a special form. *Goussierii* (R). *Baueriana*
Oedakus, *Phaul.*, *Prasichulus*, *Brachycama*,
laminatus ulmaris (R). *Baueriana*, *Prasichulus*, *Brachycama*, *laminatus ulmaris* (R).

M. Baueriana etc. 7/11. Cleared from a new forest a large
A. pusilla
spreading form (? *ulmaris* (R)). The new form is a new form.

Baueriana etc. This is a new form. *Baueriana* etc. *Baueriana*
flat to gently undulating country, on the edge of the
Swan Reach. East of the river it is a new form. *Baueriana* etc.

most all cleared. On the higher hills one form at least
one other form. *Baueriana* etc. *Baueriana* etc. 7/11. *Baueriana*

Macrotona australis,
type of country, but a new form. *Baueriana* etc. *Baueriana* etc.

Baueriana, *Prasichulus*, *Brachycama*, *laminatus ulmaris* (R). *Baueriana* etc. *Baueriana* etc.

slender fruits & leaves of medium length. Some as collected
before now with shorter, larger, fruits, & leaves, slightly more
glaucous leaves also noted, at least a piece of it. *Baueriana* etc.

collection of long-fruited sp. ? *Baueriana*, 24 7/11 *Baueriana*

probably same as notes previously 57746. Stratford. 707. Sale

761. Short pasture, cleared from same area as before

plus a small Caenadina. Ph. 2 only. 81. Escum. is also with

fairly tall grass in open & dense to low patches &

open pasture. 713. Same veg. Short grass & stems. possible

775. Road to 709. From 801. Caenadina. 813. Summit of

Phaul. A. vulgaris.
road. Cleared from region of 801. to 813. Caenadina

815. Caenadina. 815. Caenadina. 815. Caenadina. 815. Caenadina.

815. Caenadina. 815. Caenadina. 815. Caenadina. 815. Caenadina.

815. Caenadina. 815. Caenadina. 815. Caenadina. 815. Caenadina.

815. Caenadina. 815. Caenadina. 815. Caenadina. 815. Caenadina.

815. Caenadina. 815. Caenadina. 815. Caenadina. 815. Caenadina.

815. Caenadina. 815. Caenadina. 815. Caenadina. 815. Caenadina.

815. Caenadina. 815. Caenadina. 815. Caenadina. 815. Caenadina.

815. Caenadina. 815. Caenadina. 815. Caenadina. 815. Caenadina.

815. Caenadina. 815. Caenadina. 815. Caenadina. 815. Caenadina.

815. Caenadina. 815. Caenadina. 815. Caenadina. 815. Caenadina.

815. Caenadina. 815. Caenadina. 815. Caenadina. 815. Caenadina.

815. Caenadina. 815. Caenadina. 815. Caenadina. 815. Caenadina.

815. Caenadina. 815. Caenadina. 815. Caenadina. 815. Caenadina.

815. Caenadina. 815. Caenadina. 815. Caenadina. 815. Caenadina.

815. Caenadina. 815. Caenadina. 815. Caenadina. 815. Caenadina.

Phaul., *A. vulgare*, *Parabettia argillaceus* (R)

blackberry 58/66. ~~Slack~~. Cleared from signans. 167 Lavers Hill
(di house)

Crowes '69. — 170^h. 174. Phaul. Cleared from ? region
Phaulacridium.

Bracken & grass. 221. Scott's Creek, Cleared.

241. *Campylodora*

Phaulacridium.

Carpodacus or *Merula* on Feb. 242. Prob. *Merula* - plain.

10. Pygospio pacifica. Schizotha 4. 255. Terang. 256. Kalsia

Phaul.
Chalk. m. g. l. up cross - clous. Treator plain flat. Phaul.

Schizothymia

269. *Paramecia* *Scop.* *Paramecium* *Scop.* *Paramecium* *Scop.*

Phaul., *A. vulgare*, *A. pusilla*

Shrub A. sulcata: A. kneriella. 291. Treble

Phacel., *A. vulgaris*, *A. pusilla*.

au delà la borne, repères 22. P. 229.

Ararat.

A. vulgaris, *A. pusilla*. 380. Tholgreen pasture.

A. vulgaris, *A. pusilla*.

Helicoplan, approaching the winter - rather dry. pusilla

var. Peruul. 395 Smith Thompson. 415 H. Manra. 411. Overgrazed Kerala (nymphs),

A. vulgaris, A. pusilla,

Macrotoma australis, *Cryptobothrus*, & *australis*,

Macrotona australis, *Cryptobothrus*, *Y. australis*,

Swan p. 429. how different of a thing, a box, & ? *Ellophora*,
Eastwanger, *A. pusilla*, *A. vulgaris*

Eastrivargus, *A. pusilla*, *A. vulgaris*

9. Adjacent cleared pasture with short grass pasture: Phac.

pusilla 58432. Ararat.

[Apparently there is no leuca grassland all the way from Melbourne to Hamilton, in a broad strip on either side of the main road. This grassland continued until just before Denbeld, where there was a ~~str~~ belt of *crumaldulensis* woodland for a few miles corresponding to proximity to the Cranfian spur. Return to grassland until about 10 miles from Ararat when one enters *crumaldulensis* woodland, which finally gives way to a community more or less intermediate between woodland & DSF (as at 429), associated with a more hilly topography].

Ararat to Daylesford & Ballast. 441. *Eleocharis* & other rough herbed. *Leuca* for - *leuca*, frequently *ma* *leuca* form on granite.

Various small shrubs. No *Heriodes*. Report 460. 465 *Trifolium* [ditto to Gooderson's]. 470. *Trifolium*. Depression on heavy

soil dark grey soil with *Poa* tussocks. 480. *Trifolium*. *A. vulgaris*.

492. Tall & short grass on golf course. 494 to 495. Ballard. 525 Daylesford 531. Forest, with mainly low shrubs,

bracken, & *Poa*. No *Heriodes*. 503. just before beginning of *Macrotona australis*, *Phaulacridium*, timber. Cleared ~~for~~ with grasses along railway. *Gastero*, *pusilla*.

Trentham to Melbourne 58541. Trentham. 548. *Agrostis* -
leafed *perennans* (? *Robertsonii*), with *occ. obliqua*, but SE
with *brachy* & *occ. R. longicaulis*. No *Acrida*.

Phaulacridium vittatum, *Brachycaema*
550 Blackwood. 561. Poor *Scirpus* swamp & adjacent
holipennis, *Austroicetes vulgaris*.
slopes on cleared *Scirpus*. 562. Ballan. A 570. Ballan.

Phaulacridium, *A. vulgaris*, *A. pusilla*, *Acrida*.
572. Much overgrown basal slope, grassland, &
adjacent *Scirpus* & grasses along road, near culvert.
Cryptothorax, *Chortricetes*, *A. pusilla*.

Acrida. 585. Bacche's Marsh. 574. Melton. *Acrida*, *Pycnotricha*

sp. n. Tussocky *Stipa. pastura* & *Chloris humilis* cleared from
mellidora. 605. Depression by grassland, with *Scirpus*
stems. Short *Scirpus* pasture, *Chortricetes* & *Chortricetes*.

A. pusilla

Acrida, *pusilla*, *Gastr.*, *Chort.*

Melbourne to Ballan. 703. *Per. incana*, 746. *Per. incana*. 728.

grassland on *Scirpus*. *Scirpus* on the soil. Very dry. *pusilla*. 761.
Per. (nymph), *Brachycaema*, *Phaul*, *A. vulgaris*

Cleared & regrowth from a *Scirpus* upland (bon hard except for

Scirpus & *Chortricetes*. *Scirpus* longicaulis, somewhat *incana*, *incana*
towards opening; *Scirpus* ovate-lanceolate *Scirpus* elongate.)

Cryptothorax. Very dry. Pasture taken to nothing. 765. *Scirpus*.

827. *Per. incana*. 829. *albens* & *other* (cleared from). *pusilla*.